

Turn-key palm oil mill for the extraction of red palm oil

MODULAR



RENTEC offers a full range of turn-key small-scale palm oil mills. The improved village type PALMITO and the semi-industrial RURAL both handle threshed fruit. The professional MODULAR mill treats complete fresh fruit bunches. Furthermore, we design and manufacture custom-built process equipment, full technological lines and complete medium-scale industrial mills.






The MODULAR is a highly efficient palm oil mill producing top grade CPO on an industrial scale. The prefabricated mill is based on a sustainable logical process, built with well-engineered and sturdy equipment.

With a processing capacity of 1 ton of FFB per hour, the MODULAR is a unique, fully operational mill preassembled in 4 containers for easy shipment and installation on site, designed specifically for installation in remote areas. The mill comprises a pressure sterilizer, self-cleaning rotating drum thresher, digester, twin screw press, double continuous oil and sludge decanter, oil dryer and nut cracker. It is powered by a diesel generator and biomass fuelled steam boiler.

A RENTEC engineer will supervise the installation on your site and fine-tune the equipment. The plug-and-play system is operational within a few days and brings local employment to the region: it is operational 24 hours a day.

The MODULAR is a highly profitable unit with low maintenance cost, giving you a quick return on investment. The MODULAR is a real money-maker!







MODULAR Turn-key palm oil mill



With over 30 years of experience in sub-Sahara Africa and Latin America, RENTEC is Europe's leading manufacturer of professional palm oil extraction equipment. Our energy efficient mills combine the highest possible extraction rates with the lowest ecological footprint. We engineer and manufacture your equipment in our factory in Belgium, according to the highest European quality standards. You will enjoy an immediate return on your investment thanks to our unique concept of pre-assembled, factory tested mills, ready to run at arrival.



Operational 24 hours per day



Twin-stage oil decanting

| | PALMITO | RURAL | MODULAR |
|---------------------------------------------|--------------------|--------------------|----------------------|
| Input | Handthreshed fruit | Handthreshed fruit | Fresh Fruit Bunches |
| Capacity/hour (on 'Tenera') | +/- 125-175 kg | +/- 250-325 kg | 1000 kg |
| Scope | | | |
| Reception/loading | By hand | Screw conveyor | Skip elevator |
| Sterilisation | Cooking | Cooking | Pressure sterilizing |
| Threshing | By hand | By hand | Automatic |
| Extraction | Mono screw press | Mono screw press | Double screw press |
| Oil decanting | Biomass heated | Steam heated | Steam heated |
| Depericarping | By hand | By hand | By hand |
| Kernel recovery | - | - | Nut cracker |
| Water supply | - | Waterpump | Waterpump |
| Steam boiler | - | Included | Included |
| Diesel generator | - | Included | Included |
| Roof structure | - | Included | Included |
| Supervision installation by RENTEC engineer | Optional | Included | Included |

